DS-KH9510-WTE1 Video Intercom Network Indoor Station





Key Feature

- 10.1-inch colorful touch screen with resolution 1024 × 600
- UI V2.0: User friendly design
- Plug & play
- Standard PoE
- Easy installation
- Supports link to hikvision devices to bulid a management center
- Receives video call and unlocks on mobile App anytime, anywhere




Specification

System paramete	rs				
Memory	1 GB				
Flash	8 GB Emmc				
Display parameters					
Display screen					
Display resolution	1024 × 600				
Operation method	Capacitive touch screen				
Brightness	Adjustable				
Audio parameters	-				
Audio input	Built-in omnidirectional microphone				
Audio output	Built-in loudspeaker				
Audio compression standard	G.711 U, G.711 A				
Audio quality	Noise suppression and echo cancellation				
Network paramet	ters				
Wired network	10/100 Mbps self-adaptive				
Wireless network	Wi-Fi 802.11 b/g/n				
Network protocol	TCP/IP, SIP, RTSP				
Interfaces					
Network port	RJ45				
RS-485	1				
Alarm in	8				
Button	1				
TAMPER	1				
Alarm out	2 relay				
Debugging port	1				
Micro USB	For debug only				
General					
Power supply	12 VDC & standard PoE IEEE 802.3af				
Power					
consumption	≤ 8 W				
Working					
temperature	-10 °C to 50 °C (14 °F to 122 °F)				
Working humidity	10% to 90%				
Dimensions	254 mm × 166 mm × 26.65 mm (10.0" × 6.54" × 1.05")				
Weight	875 g (without package) 1060 g (with package)				


Available Model

DS-KH9510-WTE1

Dimension



Appearance and Interfaces



No.	Description	No.	Description	
1	Display Screen	6	RS-485/Relay	
			Interface	
2	Microphone	7	Debugging Port	
3	Unlock Button	8	Micro USB Interface	
4	Power Terminal	9	Loudspeaker	
5	Alarm Terminal	10	TAMPER	



Requirements or restrictions on third-party apps as follows:

1. Android system version: 5.1.1(or below)

2. Storage occupation: ≤ 200M+100M (200MB and 100MB correspond to /data/data, /mnt/internal_sd/Android/data directories respectively), the permanent files of the three-party App are stored in /mnt/internal_sd/Android/data/{three-party App package Name} directory, the data will be cleared when it exceeds the device range

3. Memory occupation: ≤ 150 MB

4. CPU usage: ≤ 30%

5. Number of three-party apps: ≤ 26. Google Play Service: Not supported

7. Three-party App version: the requirement must be the Release version

8. 3rd App Logo icon: The style refers to the current baseline main interface icon

9. The indoor unit is a 32-bit system, and the installed app must also support a 32-bit system

Distributed by			

HIKVISION

Headquarters

No.555 Qianmo Road, Binjiang District, Hangzhou 310051, China T +86-571-8807-5998 overseasbusiness@hikvision.com

Hikvision USA

T+1-909-895-0400 sales.usa@hikvision.com

Hikvision Australia T+61-2-8599-4233 salesau@hikvision.com

Hikvision India T+91-22-28469900 sales@pramahikvision.com

Hikvision Canada T+1-866-200-6690 sales.canada@hikvision.com

Hikvision Thailand T +662-275-9949 sales.thailand@hikvision.com Hikvision Europe T +31-23-5542770 sales.eu@hikvision.com

Hikvision Italy T +39-0438-6902 info.it@hikvision.com

Hikvision Brazil T +55 11 3318-0050 Latam.support@hikvision.com

Hikvision Turkey T +90 (216)521 7070- 7074 sales.tr@hikvision.com

Hikvision Malaysia T +601-7652-2413 sales.my@hikvision.com Hikvision UK & Ireland T +01628-902140 sales.uk@hikvision.com

Hikvision South Africa Tel: +27 [10] 0351172 sale.africa@hikvision.com

Hikvision France T +33(0)1-85-330-450 info.fr@hikvision.com

Hikvision Kazakhstan T+7-727-9730667 nikia.panfilov@hikvision.ru

Hikvision Vietnam T +84-974270888 sales.vt@hikvision.com Hikvision UAE T +971-4-4432090 salesme@hikvision.com

Hikvision Singapore T +65-6684-4718 sg@hikvision.com

Hikvision Spain T +34-91-737-16-55 info.es@hikvision.com

Hikvision Tashkent T +99-87-1238-9438 uzb@hikvision.ru

Hikvision Hong Kong T +852-2151-1761 info.hk@hikvision.com Hikvision Russia T +7-495-669-67-99 saleru@hikvision.com

Hikvision Korea T +82-(0)31-731-8817 sales.korea@hikvision.com

Hikvision Poland T +48-22-460-01-50 info.pl@hikvision.com

Hikvision Indonesia T+62-21-2933759 Sales.Indonesia@hikvision.com

Hikvision Colombia sales.colombia@hikvision.com